

NOV 26 2004

**KILPATRICK  
STOCKTON LLP**  
Attorneys at Law

Suite 2800 1100 Peachtree St.  
Atlanta GA 30309-4530  
t 404 815 6500 f 404 815 6555  
www.KilpatrickStockton.com

November 26, 2004

direct dial 404 815 6102  
direct fax 404 541 3454  
EPolovnikova@KilpatrickStockton.com

**FAX**

RECIPIENT/ PHONE NO.	FAX NO.	COMPANY/ CITY, STATE, COUNTRY
Examiner Stephen L. Rawlings Art Unit 1642 571-272-0896	703-872-9306	Commissioner for Patents Alexandria, Virginia

Elena S. Polovnikova, Ph.D.

FROM

14

PAGES (WITH COVER)

3392

REFERENCE NO

49530-252687

CLIENT/MATTER NO.

PLEASE CALL 404 815 6497 IF YOU HAVE DIFFICULTY WITH THIS TRANSMISSION.

**CONFIDENTIALITY NOTE:**

The information contained in this fax message is being transmitted to and is intended for the use of the individual named above. If the reader of this message is not the intended recipient, you are hereby advised that any dissemination, distribution or copy of this fax is strictly prohibited. If you have received this fax in error, please immediately notify us by telephone and destroy this fax message.

**COMMENTS**

The facsimile confirmation of the Patent Office imprinted hereon will acknowledge receipt of:

Application No: 09/776,865

Filed: February 2, 2001

Applicant: Carl G. Hellerqvist

For: Methods for Preventing or Attenuating Pathoangiogenic Conditions

Papers Submitted: Response to Non-Final Office Action

Docket No.: 22100-0100 (49530-252687)

Date Faxed: November 26, 2004

**BEST AVAILABLE COPY**

TO BE COMPLETED BY KS OPERATIONS CENTER

TRANSMISSION RECEIPT DATE/TIME: \_\_\_\_\_

COMPLETED BY: \_\_\_\_\_

JOB CODE 91516

ATLANTA AUGUSTA CHARLOTTE LONDON MIAMI RALEIGH RESTON STOCKHOLM WASHINGTON WINSTON-SALEM  
ATLLIB02 172444.1

NOV 26 2004

DOCKET NO: 49530/252687 (22100-0100)

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: )  
                    **Carl G. Hellerqvist** )  
Application No.: 09/776,865 ) Art Unit: 1642  
Filed: February 2, 2001 ) Examiner: Stephen L. Rawlings  
For: Methods for Preventing or )  
      Attenuating Pathoangiogenic )  
      Conditions )

## RESPONSE TO NON-FINAL OFFICE ACTION

---

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450


Sir:

In response to the Non-Final Office Action mailed July 26, 2004, with a four-month period of response expiring on November 26, 2004, applicant respectfully requests reconsideration of the application based upon the following remarks. Applicant also respectfully requests a one-month extension of time within which to file a response to the Non-Final Office Action mailed July 26, 2004, to expire November 26, 2004. Please charge the fee for a one-month extension of time in the amount of \$55.00 to Deposit Account Number 11-0855.

No additional fees are believed due, however, the Commissioner is hereby authorized to charge any deficiencies which may be required or credit any overpayment to Deposit Account Number 11-0855.

---

I hereby certify that this correspondence is being sent via facsimile transmission to the United States Patent and Trademark Office to 703-872-9306, attention Examiner Stephen L. Rawlings of Art Unit 1642, on November 26, 2004.



Elena S. Polovnikova, Ph.D. - Reg. No. 52,130

ATLL1802 172443.1

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**